





September 2021

AMA Substance Use and Pain Care Task Force

The American Medical Association (AMA) convened more than 25 national, specialty and state medical societies in two task force efforts between 2014-2019 to provide specific guidance to end the nation's drug-related overdose and death epidemic and focus on the unique needs of patients with pain. The AMA task forces released recommendations urging physicians to take action to improve opioid prescribing practices, help prevent opioid use disorder, and provide evidence-based, compassionate care for patients in pain. The recommendations also focused on the need for physicians to become trained to better identify and treat opioid use disorder (OUD), prescribe naloxone to mitigate the risk of an opioid-related overdose to a patient (or for a family member or friend at risk of an opioid-related overdose), and take other actions to improve patient outcomes and reduce stigma for patients with pain and those with an OUD.

Both AMA task forces have worked to provide actionable and measurable recommendations and principles for physicians, state and federal policymakers, and other stakeholders. In response to those recommendations, there has been measurable progress across multiple domains, policy changes led by medical society advocacy, and yet, the nation's drug-related overdose and death epidemic has become worse. As a result, the AMA has united the two task forces into a new effort to directly address the changing drug overdose epidemic, and focus on removing racial, gender, sexual orientation and other health-related inequities, and provide updated recommendations to physicians, policymakers and other stakeholders.

Physicians must continue to lead, and policymakers must base further action on evidence-based interventions. The Task Force's five recommendations build on previous work and are as follows:

• Recommendation 1: Support patients with pain, mental illness or a substance use disorder (SUD) by building an evidence-based, sustainable and resilient infrastructure and health care workforce rather than continuing a crisis-driven approach that has led to multiple unintended negative consequences, including one-size-fits-all strategies, continued stigma and widespread gaps in evidence-based treatment and prevention efforts. A renewed effort must be made to identify and support primary, secondary and tertiary SUD prevention efforts for children, adolescents and adults. This includes increased efforts to implement evidence-based strategies to address restrictions on care, overdose events and other harms experienced by patients with pain, mental illness or an SUD. Particular emphasis must be placed on collecting adequate, standardized data to eliminate inequities for historically marginalized and minoritized populations. Additional work must be done to address the increased complexity of access and treatment to SUD care as a result of the nation's growing polysubstance use, overdose and death epidemic.

- Recommendation 2: Remove barriers to evidence-based treatment for SUDs, cooccurring mental illness and pain. These include improved enforcement of laws and
 policies to ensure access to medication-based treatment for opioid use disorder (MOUD),
 including buprenorphine, methadone, extended-release naltrexone therapies, and cooccurring mental illness. Particular emphasis must be placed on ensuring protections for
 justice-involved individuals and for youth, peripartum, pregnant, postpartum and parenting
 individuals. This includes working to keep families together safely and eliminating health
 inequities that disproportionately harm marginalized and minoritized communities.
- Recommendation 3: Support coverage for, access to, and payment of comprehensive, multi-disciplinary, multi-modal evidence-based treatment for patients with pain, a substance use disorder or mental illness. Additionally, coverage, access and payment should directly address racial, gender, sexual orientation, ethnic and economic inequities as well as social determinants of health. Particular emphasis must be placed on individualized patient care decisions, protecting patients with pain, a substance use disorder or mental illness from continued stigma and addressing a lack of access to evidence-based care or accepted best practices.
- Recommendation 4: Broaden public health and harm reduction strategies to save lives
 from overdose, limit the spread of infectious disease, eliminate stigma and reduce harms
 for people who use drugs and other substances. Particular emphasis must be based on
 evidence-based strategies, including naloxone, sterile needle and syringe services
 programs, and integrating the perspectives of the recovery community and people who
 use drugs for nonmedical use in the development and delivery of those strategies.
- Recommendation 5: Improve stakeholder and multi-sector collaboration in an effort to ensure that the patients, policymakers, employers, and communities benefit from evidence-based decisions. Policymakers should review laws and other policies to determine if they have had unintended consequences. Particular emphasis must be placed on efforts to ensure representation by marginalized and minoritized communities at every step in the clinical, policy and administrative processes. This also includes continuing efforts to build the workforce and enhance education and training with respect to pain, mental illness and SUDs for all health care professionals.

Member organizations in the AMA Substance Use and Pain Care Task Force

American Medical Association

American Osteopathic Association

American Academy of Addiction Psychiatry

American Academy of Family Physicians

American Academy of Hospice and Palliative Medicine

American Academy of Neurology

American Academy of Orthopaedic Surgeons

American Academy of Pain Medicine

American Academy of Physical Medicine and Rehabilitation

American Association of Neurological Surgeons and Congress of Neurological Surgeons

American College of Emergency Physicians

American College of Occupational and Environmental Medicine

American College of Physicians

American College of Obstetricians and Gynecologists

American Psychiatric Association

American Society of Addiction Medicine

American Society of Anesthesiologists

American Society of Clinical Oncology

Arkansas Medical Society

California Medical Association

Maine Medical Association

Massachusetts Medical Society

Medical Society of the State of New York

New Mexico Medical Society

Ohio State Medical Association

Oregon Medical Association

Utah Medical Association